



Wires & Cables Price List

w.e.f. 11.10.2013



Industrial Cables

HPL Single Core Copper conductor Flame Retardant PVC insulated Cables (Unsheathed), 1100 Volts conforming to IS : 694/1990 (Building Wire)

Nominal area of Conductor Sq. mm	Conductor Construction (No./dia.mm)	Current Carrying Capacity (Amps)	Standard packing 90m Code (No. of Coils)	Product Code	MRP (Rs.) per FR PVC in 90m Coil	Product Code	MRP (Rs.) per FR PVC in project Packing 180m Coil
0.75	24/2	7	20	HFR000075090	1053	HFR000075180	2106
1.00	14/3	12	20	HFR000100090	1350	HFR000100180	2700
1.50	22/3	16	12	HFR000150090	1998	HFR000150180	3996
2.50	36/3	22	12	HFR000250090	3213	HFR000250180	6426
4.00	56/3	29	4	HFR000400090	4788	HFR000400180	9576
6.00	84/3	37	4	HFR000600090	7101	HFR000600180	14202

Standard Packing - 90 mtrs. In Carton Project packing - 180 mtrs., Poly wrapped

Colours available - Red - RD, Yellow - YL, Blue - BL, Black - BK, Green - GR, White-Wh & Grey - GY, Other colours can be supplied on request, subject to Minimum Order quantity.

(Please specify the colour code while ordering & order should be in multiple of standard packing per colour.

HPL Single Core Copper conductor ZHFR insulated Compound Cables (Unsheathed,) 1100 Volts as per IS : 694/1990

Nominal area of Conductor Sq. mm	Conductor Construction (No./dia.mm)	Current Carrying Capacity (Amps)	Standard packing 90m Code (No. of Coils)	Product Code	MRP (Rs.) per ZHFR in 90m Coil	Product Code	MRP (Rs.) per ZHFR in Project Packing 180m Coil
1.00	14/3	12	20	HHZ000100090	1647	HHZ000100180	3294
1.50	22/3	16	12	HHZ000150090	2421	HHZ000150180	4842
2.50	36/3	22	12	HHZ000250090	3852	HHZ000250180	7704
4.00	56/3	29	4	HHZ000400090	5994	HHZ000400180	11988
6.00	84/3	37	4	HHZ000600090	8712	HHZ000600180	17424



HPL Single Core Copper conductor FR-LSH PVC insulated Cables (Unsheathed,) 1100 Volts conforming to IS : 694/1990

Nominal area of Conductor Sq. mm	Conductor Construction (No./dia.mm)	Current Carrying Capacity (Amps)	Standard packing 90m Code (No. of Coils)	Product Code	MRP (Rs.) per FR-LSH in 90m Coil	Product Code	MRP (Rs.) per FR-LSH in Packing 180m Coil
1.00	14/.3	12	20	HHF000100090	1467	HHF000100180	2934
1.50	22/.3	16	12	HHF000150090	2214	HHF000150180	4428
2.50	36/.3	22	12	HHF000250090	3483	HHF000250180	6966
4.00	56/.3	29	4	HHF000400090	5148	HHF000400180	10296
6.00	84/.3	37	4	HHF000600090	7974	HHF000600180	15948

HPL Single Core Copper conductor HRFR PVC insulated Cables (Unsheathed,) 1100 Volts as per IS : 694/1990

Nominal area of Conductor Sq. mm	Conductor Construction (No./dia.mm)	Current Carrying Capacity (Amps)	Standard packing 90m Code (No. of Coils)	Product Code	MRP (Rs.) per HRFR in 90m Coil	Product Code	MRP (Rs.) per HRFR in Project Packing 180m Coil
1.00	14/.3	14	20	HRFR000100090	1449	HRFR000100180	2898
1.50	22/.3	18	12	HRFR000150090	2097	HRFR000150180	4194
2.50	36/.3	25	12	HRFR000250090	3366	HRFR000250180	6732
4.00	56/.3	33	4	HRFR000400090	5022	HRFR000400180	10044
6.00	84/.3	42	4	HRFR000600090	7416	HRFR000600180	14832

HPL Single Core Copper conductor PVC insulated Industrial and Panel Wiring Cables (Unsheathed), 1100 Volts conforming to IS : 694/1990

Nominal area of Conductor Sq. mm	Conductor Construction (No./dia.mm)	Current Carrying Capacity (Amps)	Product Code	MRP (Rs.) per 100m Coil PVC*	Current Carrying Capacity (Amps)	Product Code	MRP (Rs.) per 100m Coil HR PVC
0.50	16/.2	4	HHI000050100	864	5	HHR000050100	873
0.75	24/.2	7	HHI000075100	1161	8	HHR000075100	1251
1.00	32/.2	11	HHI000100100	1485	14	HHR000100100	1539
1.50	48/.2 or 30/.25	14	HHI000150100	2106	18	HHR000150100	2169
2.50	80/.2 or 50/.25	19	HHI000250100	3474	25	HHR000250100	3492
4.00	56/.30	26	HHI000400100	5346	33	HHR000400100	5580
6	84/.30	37	HHI000600100	8046	42	HHR000600100	8469
10	140/.30 or 80/.40	42	HHI001000100	13878	59	HHR001000100	13959
16	226/.30 or 126/.40	57	HHI001600100	22275	78	HHR001600100	22419
25	354/.30 or 196/.40	71	HHI002500100	35244	99	HHR002500100	35469
35	495/.30 or 276/.40	91	HHI003500100	47862	126	HHR003500100	47988
50	704/.30 or 396/.40	120	HHI005000100	69336	167	HHR005000100	68544
70	990/.30 or 556/.40	161	HHI007000100	100287			
95	1340/.30 or 756/.40	200	HHI009500100	134046			
120	1695/.30 or 954/.40	225	HHI012000100	169731			
150	2120/.30 or 1192/.40	240	HHI015000100	210915			
185	2615/.30 or 1472/.40	300	HHI018500100	259533			
240	3395/.30 or 1910/.40	425	HHI024000100	335412			
300	4242/.30 or 2386/.40	475	HHI030000100	419184			
400	5658/.30 or 3182/.40	550	HHI040000100	558594			

*Above 50 Sq.mm price are on Request.

Standard Packing - 100 mtrs. Per Coil
 Colours available - Red, Yellow, Blue, Black, Grey & Green



HPL Multi Core Flexible Copper conductor PVC insulated and Sheathed Cables, 1100 Volt conforming to IS:694/1990

Nominal area of Conductor Sq. mm	Conductor Construction (No./dia.mm)	Current Carrying Capacity (Amps)	Product Code	MRP (Rs.) 2 Core per 100m Coil	Product Code	MRP (Rs.) 3 Core per 100m Coil	Product Code	MRP (Rs.) 4 Core per 100m Coil
0.50	16/.20	4	HMI2C 000050100	2718	HMI3C 000050100	3483	HMI4C 000050100	4320
0.75	24/.20	7	HMI2C 000075100	3465	HMI3C 000075100	4644	HMI4C 000075100	5940
1.00	32/.20	11	HMI2C 000100100	4275	HMI3C 000100100	5904	HMI4C 000100100	7362
1.50	48/.20	14	HMI2C 000150100	5814	HMI3C 000150100	8073	HMI4C 000150100	10269
2.50	80/.20	19	HMI2C 000250100	9306	HMI3C 000250100	12645	HMI4C 000250100	17199
4.00	56/.30	26	HMI2C 000400100	13653	HMI3C 000400100	19755	HMI4C 000400100	25821
6.00	84/.30	37	HMI2C 000600100	21060	HMI3C 000600100	28377	HMI4C 000600100	37215
10.00	140/.30	42	HMI2C 001000100	34389	HMI3C 001000100	48888	HMI4C 001000100	64125
16.00	226/.30	57	HMI2C 001600100	53730	HMI3C 001600100	75681	HMI4C 001600100	101115
25.00	354/.30	71	HMI2C 002500100	81324	HMI3C 002500100	116064	HMI4C 002500100	153495
35.00	276/.40	91	HMI2C 003500100	111726	HMI3C 003500100	160785	HMI4C 003500100	212760
50.00	396/.40	120	HMI2C 005000100	159741	HMI3C 005000100	230787	HMI4C 005000100	304956
70.00	556/.40	161	HMI2C 007000100	225261	HMI3C 007000100	329814	HMI4C 007000100	429237
95.00	756/.40	200	HMI2C 009500100	291393	HMI3C 009500100	427392	HMI4C 009500100	563022
120.00	954/.40	225	HMI2C 012000100	368748	HMI3C 012000100	537633	HMI4C 012000100	738117

Standard Packing - 100 mtrs. Per Coil
 Note : 70Sq.mm and onwards as per IS:694/1990

HPL Multi Core Flexible Copper conductor PVC insulated and Sheathed Cables, 1100 Volt as per IS:694/1990

No. of Cores	Products Code	MRP (Rs.) 0.5 sq mm (16/0.2)	Products Code	MRP (Rs.) 0.75 sq mm (24/0.2)	Products Code	MRP (Rs.) 1 sq mm (32/0.2)	Products Code	MRP (Rs.) 1.5 sq mm (48/0.2)	Products Code	MRP (Rs.) 2.5 sq mm (80/0.2)
6	HMT06C000050100	7587	HMT06C000075100	10071	HMT06C000100100	12375	HMT06C000150100	17028	HMT06C000250100	26442
7	HMT07C000050100	8271	HMT07C000075100	10881	HMT07C000100100	13428	HMT07C000150100	18531	HMT07C000250100	28953
10	HMT10C000050100	11970	HMT10C000075100	15534	HMT10C000100100	19863	HMT10C000150100	26388	HMT10C000250100	42228
12	HMT12C000050100	14769	HMT12C000075100	18846	HMT12C000100100	23634	HMT12C000150100	31455	HMT12C000250100	51282
14	HMT14C000050100	15840	HMT14C000075100	21132	HMT14C000100100	25857	HMT14C000150100	35352	HMT14C000250100	56808
16	HMT16C000050100	18333	HMT16C000075100	24966	HMT16C000100100	29538	HMT16C000150100	40626	HMT16C000250100	65583
19	HMT19C000050100	20736	HMT19C000075100	27936	HMT19C000100100	34389	HMT19C000150100	50031	HMT19C000250100	76671

Standard Packing - 100 mtrs. Per Coil

HPL Annealed Tinned / Bare Copper Conductor, PVC / PE insulated Telephone Cables for indoor applications conforming to ITD specification

No. of Pairs	Products Code	MRP (Rs.) 0.45 mm	Products Code	MRP (Rs.) 0.50 mm
1p	HTC01P00045090	846	HTC01P00050090	1008
2p	HTC02P00045090	1449	HTC02P00050090	1728
3p	HTC03P00045090	1962	HTC03P00050090	2421
4p	HTC04P00045090	2502	HTC04P00050090	3087
5p	HTC05P00045090	3204	HTC05P00050090	3870
10p	HTC10P00045090	5868	HTC10P00050090	7146
20p	HTC20P00045090	10764	HTC20P00050090	13005

Standard Packing - 90 mtrs. Per Coil
 For any other pairage and sizes please refer to marketing Department.

**HPL Flat 3 Core Copper Conductor PVC insulated & PVC sheathed Submersible Cable generally conforming to IS : 694/1990**

Nominal area of Conductor Sq. mm	Conductor Construction (No./dia.mm)	Current Carrying Capacity (Amps)	Products Code	MRP (Rs.) Per 100 meters
1.5	22/0.3	14	HSF3C 000150100	8172
2.5	36/0.3	18	HSF3C 000250100	13032
4	56/0.3	26	HSF3C 000400100	19683
6	84/0.3	37	HSF3C 000600100	28476
10	140/0.3	42	HSF3C 001000100	48987

Standard Packing - 100 mtrs. per coil

HPL CATV Co-axial Cable (Copper Conductor, Jelly Filled, aluminium foil and aluminium wire braided)

Item Type	Products Code	MRP (Rs.) 100 meter	Products Code	MRP (Rs.) 305 meter
RG 59 A/U	HCATVRG5900100.	2448	HCATVRG5900305.	7470
RG 6 A/U	HCATVRG0600100.	3069	HCATVRG0600305.	9369
RG 11 A/U	HCATVRG1100100.	6705	HCATVRG1100305.	20466

Standard Packing - 100 mtrs. per coil / 305 mtrs. on plywood bobbins.

HPL - Networking Data Cable

HPL Solid bare copper conductor 4 pair unshielded twisted Pair (UPT) Cable with FR PVC jacketing Black / Grey Colour for computer LAN networking.

Item Type	Products Code	MRP (Rs.) 100 meter	Products Code	MRP (Rs.) 305 meter
CAT - 5e	HCAT05E0000100	2979	HCAT05E0000305	9090
CAT - 6e	HCAT06E0000100	3906	HCAT06E0000305	11916

Standard Packing - 100 mtrs. per coil / 305 mtrs. on corrugated box

General Terms

- The Price list has been made as per standard length packing if any non-standard packing, the packing charges will be extra.
- Minimum Order quantity acceptable above 35 Sq.mm should be 500 mtrs. ±5%

Note : As per the international practice which is also adopted by BIS, the size of the conductor is decided by its resistance only.

The construction of the conductor mentioned in the price-list are only for guidelines and are as per market convention, It may vary within the prescribed limit of IS:8130-1984, with related classes and tables.

Terms & Conditions

- All prices are in Indian rupees.
- Prices prevailing at the time of despatch shall be applicable.
- All prices are Maximum Retail Prices (MRP) inclusive of Excise Duty.
- Prices are exclusive of VAT/CST, Local taxes which as levied, shall be charged extra at actuals.
- Goods are despatched by us on Purchaser's risk.
- All claims for losses, damages or shortages will be filed by the purchaser directly with the carriers.
- This Price List supersedes all our previous Price Lists, and are subject to change without prior notice.
- Company reserves the right to issue amendments, which may arise due to any errors in Price List.
- All disputes are subject to Delhi Jurisdiction.
- For Technical details kindly refer our technical catalogues.

***Loading factor for Different Insulation**

FR Insulation	3%
FRLS Insulation	10%
HRFR Insulation	5%
HRFRLS Insulation	15%

*It is non stock product and the delivery should be minimum 3-4 weeks and loading factor applicable for PVC insulation only

NOTE :

Freight : F.O.R. by road transport to any station in India subject to Minimum Order Quantity However, HPL reserves the right to charge suitable freight for remote areas.

